



## Earthmoving Machinery Spares Pty Ltd


ABN 78 394 726 341

187 Northcorp Boulevard  
Broadmeadows VIC 3047

T 03 8301 9500

F 03 8301 9599

E info@emspares.com.au



# TEETH AND ADAPTER RANGE



Part Number	Description	Other Nos.	Size	Pin - Std	Ret-Std	Applications
<b>1) Caterpillar - Bucket Tips</b>						
1U3202	Tip, Long	1U3201, 8J6202	J200	8E6208	8E6209	910, 916, 416-436
1U3209	Tip, Penetration		J200	8E6208	8E6209	910, 916, 416-436
1358208	Tip, Twin Tiger	1U3202WTL	J200	8E6208	8E6209	910, 916, 416-436
1358203	Unitooth, Bolt On Centre	6E6335, 9W1879	J200			910, 916, 416-436
6Y3222	Tip, Long		J225	6Y3228	8E6259	307
1358228	Tip, Twin Tiger	6Y3222WTL	J225	6Y3228	8E6259	307
1U3252	Tip, Long	9J4252	J250	8E6258	8E6259	916, 920, 930, 938, 312
9N4252	Tip, Heavy Duty- Long	4T2253, 9J4253	J250	8E6258	8E6259	916, 920, 930, 938, 312
9J4259	Tip, Penetration Std		J250	8E6258	8E6259	916, 920, 930, 938, 312
1358258	Tip, Twin Tiger	1U3252WTL	J250	8E6258	8E6259	916, 920, 930, 938, 312
9W8259	Tip, Sharp (Tiger)	1U3252T	J250	8E6258	8E6259	916, 920, 930, 938, 312
1U3252RC	Tip, Rock Chisel		J250	8E6258	8E6259	916, 920, 930, 938, 312
3G8250	Tip, Wide (Spade)		J250	8E6258	8E6259	815, 825
1U3301	Tip, Short	9J4301, 8J5301	J300	1073308	8E6259	950/B/G, 966C/F, 320
1U3302	Tip, Long	9J4302	J300	1073308	8E6259	950/B/G, 966C/F, 320
9N4302	Tip, Heavy Duty- Long		J300	1073308	8E6259	950/B/G, 966C/F, 320
9N4303	Tip, Heavy Duty- Abrasion	4T2303, 9J4303	J300	1073308	8E6259	950/B/G, 966C/F, 320
1359308	Tip, Twin Tiger	1U3302WTL	J300	1073308	8E6259	950/B/G, 966C/F, 320
9W8309	Tip, Sharp (Tiger)	1U3302T	J300	1073308	8E6259	950/B/G, 966C/F, 320
1U3302PT	Tip, Rock Penetrator	1U3302RP2	J300	1073308	8E6259	950/B/G, 966C/F, 320
1U3302RC	Tip, Rock Chisel		J300	1073308	8E6259	950/B/G, 966C/F, 320
1U3302SYL	Tip, Symmetrical		J300	1073308	8E6259	950/B/G, 966C/F, 320
1U3302TL	Tip, Tiger Long		J300	1073308	8E6259	950/B/G, 966C/F, 320
1U3351	Tip, Short	9J4351, 8J3351	J350	9W2678	8E6359	966D/F, 980, 325, 330
1U3352	Tip, Long	9J4352	J350	9W2678	8E6359	966D/F, 980, 325, 330
9N4352	Tip, Heavy Duty- Long		J350	9W2678	8E6359	966D/F, 980, 325, 330
9J4359	Tip, Penetration		J350	9W2678	8E6359	966D/F, 980, 325, 330
9N4353	Tip, Heavy Duty- Abrasion	4T2353, 9J4353	J350	9W2678	8E6359	966D/F, 980, 325, 330
1359357	Tip, Twin Tiger	1U3352WTL	J350	9W2678	8E6359	966D/F, 980, 325, 330
9W2359	Tip, Sharp (Tiger)	1U3352T	J350	9W2678	8E6359	966D/F, 980, 325, 330
1U3352RC	Tip, Rock Chisel		J350	9W2678	8E6359	966, 980, 325, 330
1U3352PT	Tip, Rock Penetrator	1U3352RP2	J350	9W8268	8E6359	966, 980, 325, 330
1U3352SYL	Tip, Symmetrical		J350	9W2678	8E6359	966, 980, 325, 331
1U3352TL	Tip, Tiger Long	-1681350	J350	9W2912	8E6359	966, 980, 325, 332
7T3402	Tip, Long		J400	7T3408	8E8409	980F/G
8E4402	Tip, Heavy Duty- Long		J400	7T3408	8E8409	980F/G
7T3403	Tip, Heavy Duty- Abrasion		J400	7T3408	8E8409	980F/G
1359408	Tip, Twin Tiger	7T3402WTL	J400	7T3408	8E8409	980F/G
6Y5409	Tip, Sharp (Tiger)	7T3402T	J400	7T3408	8E8409	980F/G
7T3402RC	Tip, Rock Chisel	8E4402RC	J400	7T3408	8E8409	980F/G
7T3402PT	Tip, Rock Penetrator	7T3402RP2	J400	7T3408	8E8409	980F/G
7T3402TL	Tip, Tiger Long		J400	7T3408	8E8409	980F/G



## TEETH AND ADAPTER RANGE...CONTINUED

Part Number	Description	Other Nos.	Size	Pin - Std	Ret-Std	Applications
9W8451	Tip, Short	1U3451, 8J1451	J460	8E0468	8E8469	980C/F/G, 988B/F
9W8452	Tip, Long	1U3452, 3G4452	J460	8E0468	8E8469	980C/F/G, 988B/F
9N4452	Tip, Heavy Duty- Long		J460	8E0468	8E8469	980C/F/G, 988B/F
9N4453	Tip, Heavy Duty- Abrasion	9W1453, 4T1453	J460	8E0468	8E8469	980C/F/G, 988B/F
9W8459	Tip, Penetration Std	9J4459	J460	8E0468	8E8469	980C/F/G, 988B/F
1386458	Tip, Twin Tiger	1U3452WTL	J460	8E0468	8E8469	980C/F/G, 988B/F
7T8459	Tip, Sharp (Tiger)	1U3452T	J460	8E0468	8E8469	980C/F/G, 988B/F
1U3452RC	Tip, Rock Chisel	9W8452RC	J460	8E0468	8E8469	980C/F/G, 988B/F
1U3452TL	Tip, Tiger Long	9W8452TL	J460	8E0468	8E8469	980C/F/G, 988B/F
9W8452PT	Tip, Rock Penetrator	9W8452RP2	J460	8E0468	8E8469	980C/F/G, 988B/F
9W8552	Tip, Long	1U3552, 9J4552	J550	6Y8558	8E5559	992F/G, 988F, 375
9N4552	Tip, Heavy Duty- Long		J550	6Y8558	8E5559	992F/G, 988F, 375
6Y2553	Tip, Heavy Duty- Abrasion	9W1553, 4T1553	J550	6Y8558	8E5559	992F/G, 988F, 375
9W8552WTL	Tip, Twin Tiger	2227553	J550	6Y8558	8E5559	992F/G, 988F, 375
9W8552TL	Tip, Tiger Long		J550	6Y8558	8E5559	992F/G, 988F, 375
1U3552RC	Tip, Rock Chisel	9W8552RC	J550	6Y8558	8E5559	992F/G, 988F, 375
6I6602	Tip, Long		J600	1139608	1139609	992G, 5080
6I6602PT	Tip, Rock Penetrator	6I6602RP2, 6I6603RP2	J600	1139608	1139609	992G, 5080
6I6603	Tip, Heavy Duty - Abrasive		J600	1139608	1139609	992G, 5080
7Y0602	Tip, Heavy Duty- Long		J600	1139608	1139609	992G, 5080
7I7609	Tip, Penetration Std		J600	1139608	1139609	992G, 5080
1359600	Tip, Penetration HD		J600	1139608	1139609	992D/G
4T4702	Tip, Std Long		J700	1134708	1134709	994/D
1359700	Tip, Penetration HD		J700	1134708	1134709	994/D
6I8802	Tip, Long		J800	1341808	1341809	994/D
<b>2) Caterpillar - Ripper Tips</b>						
9W2451	Tip, Ripper C/line Short	6J8812, 4T4451		4T2479		D8K, D8L/N/R, D9H/N/R,
9W2452	Tip, Ripper C/line Med	6J8813, 4T4452		4T2479		D8K, D8L/N/R, D9H/N/R,
1140453	Tip, Ripper C/line Long	6J8815, 4T4453		4T2479		D8K, D8L/N/R, D9H/N/R,
4T4502	Tip, Ripper C/line, Med	1U4502		1029062	or 6Y1202/4	D10N/R
4T4501	Tip, Ripper C/line, Short	1U4501		1029062	or 6Y1202/4	D10N/R
9W4551	Tip, Ripper C/line, Short			9N4245	6Y1205	D11N/R
9W4552	Tip, Ripper C/line, Med			9N4245	6Y1205	D11N/R
6Y3552	Tip, Penetration - Med			9N4255	6Y1205	D11N/R
6Y0352	Tip, Ripper Centreline	4T4352		1140358	1140359	D6, D7
6Y0309	Tip, Ripper Pen	9J8910, 8J2210		1140358	1140359	D4, 963, 12G, 14G
6Y0359	Tip, Ripper Pen	9J8920		1140358	1140359	D5, D6, D7, 16G
4T5501	Tip, Ripper Pen Short	3G6501		1029062	or 6Y1202/4	D9L, D10N/R
4T5502	Tip, Ripper Pen Med	3G6502		1029062	or 6Y1202/4	D9L, D10N/R
4T5503	Tip, Ripper Pen Long	3G6503		1029062	or 6Y1202/4	D9R, D10R
4T5452	Tip, Ripper Pen Med	3G5452		4T2479		D8K, D8L/N/R, D9H/N/R
6Y5230	Tip, Scarif - Std	2D5572				Motor Graders
6Y5230-HD	Tip, Scarif - Heavy Duty	2D5572-HD (1.6 kg)				Motor Graders
<b>3) Caterpillar - Bucket Adapters and Sidecutters</b>						
8J7525	Adapter, Bottom Strap Centre		J200			
1193204	Adapter, 2 Strap Centre		J200			25mm Thick Blade
1193205	Adapter, 2 Strap Centre		J200			20mm Thick Blade
4T1204	Adapter, Flushmount		J200			
6Y3224	Adapter, 2 Strap Centre	7I2582	J225			20mm Thick Blade
6Y3224-A	Adapter, 2 Strap Centre		J225			25 mm Thick Blade
1193253	Adapter, 2 Strap Centre	6Y3254	J250			32mm Thick Blade
1U1254	Adapter, Flushmount	9J4254	J250			
1U0257	Adapter, Bolt On Centre	8J6656	J250			
3G4258	Adapter, Bolt On Corner LH		J250			
3G4259	Adapter, Bolt On Corner RH		J250			
8E9490	Adapter, 2 Strap Centre		J300			36mm Thick Blade
9W1304	Adapter, 2 Strap Centre	3G6304, 9J2826	J300			32mm Thick Blade
1U1304	Adapter, Flushmount	9J4304	J300			
1U0307	Adapter, Bolt On Centre	8J6587	J300			
3G4308	Adapter, Bolt On LH		J300			
3G4309	Adapter, Bolt On RH		J300			
3G5307	Adapter, Bolt On Centre	8J5307	J300			3-Bolt
4T4307	Adapter, Bolt On Centre	3G4307	J300			



## TEETH AND ADAPTER RANGE...CONTINUED

Part Number	Description	Other Nos.	Size	Pin - Std	Ret-Std	Applications
3G8354	Adapter, 2 Strap Centre	8J4310	J350			38mm Thick Blade
6I6354	Adapter, 2 Strap Centre	7T3354	J350			40mm Thick Blade
3G8356	Adapter, 2 Strap RH		J350			38mm Thick Blade
3G8355	Adapter, 2 Strap LH		J350			38mm Thick Blade
6I6355	Adapter, 2 Strap RH	7T3355	J350			40mm Thick Blade
6I6356	Adapter, 2 Strap LH	7T3356	J350			40mm Thick Blade
1U1354	Adapter, Flushmount	9J4354	J350			
3G3357	Adapter, Bolt On Centre		J350			38mm Thick Blade
3G5358	Adapter, Bolt On Corner LH		J350			38mm Thick Blade
3G5359	Adapter, Bolt On Corner RH		J350			38mm Thick Blade
6I6404	Adapter, 2 Strap Centre		J400			45mm Thick Blade
6I6405	Adapter, 2 Strap LH	7T3405	J400			45mm Thick Blade
6I6406	Adapter, 2 Strap RH	7T3406	J400			45mm Thick Blade
1U1454	Adapter, 2 Strap Centre		J450			
1590464	Adapter, 2 Strap Centre	6I6464	J460			50mm Thick Blade
1590465	Adapter, 2 Strap RH	6I6465	J460			50mm Thick Blade
1590466	Adapter, 2 Strap LH	6I6466	J460			50mm Thick Blade
8E0464	Adapter, Flushmount		J460			988B/F
6I6554	Adapter, 2 Strap Centre		J550			988B/F, 375 (60mm Lip)
6I6555/6I6556	Adapter, 2 Strap RH/LH		J550			988B/F, 375 (60mm Lip)
3G9494	Adapter, 2 Strap Centre		J550			992C (64mm Lip)
3G9495/3G9496	Adapter, 2-Strap RH/LH		J550			992C (64mm Lip)
6I6604	Adapter, 2 Strap Centre		J600			345, 365 (70mm Lip)
1711704	Adapter, 2-Strap Centre	4T4704	J700			994D (76mm Lip)
1007416	Adapter, 2-Strap Centre		J700			994D (100mm Lip)
6I8804	Adapter, 2 Strap Centre		J800			994D (100mm Lip)
9J9600	Protector, Sidebar			1359350	1140359	980F
964747/ 964748	Sidescutter RH/LH 4H					320
7Y0357/ 7Y0358	Sidescutter RH/LH 3H					325 - 330 Exc
<b>4) Caterpillar - Ripper Shanks and Protectors, Bucket Sidebars</b>						
1957218	Shank, Scarifier (3-FR Notch)	9F5124 Front Notch				G Motor Graders
1957219	Shank, Scarifier (3 RR Notch)	5B6251 Rear Notch				H Motor Graders
1957218DT	Shank, Scarifier (Dbl Notch)	2 FR + 2 RR Notches				
9F5124-AP	Shank, Scarifier (Dbl Notch)	3 FR + 2 RR Notches				Multipurpose
9J6586	Shank, Ripper					D4, 963 Motor Graders
9J3139	Shank, Ripper					D6
9W7382	Shank, Ripper					D7
6J8814	Protector, Shank Std			4T2479 (2)		D8K/L/N, D9H/N/R
8E1848	Protector, Shank Sharp			4T2479 &	6J8811	D8K/L/N, D9H/N/R
9W8365	Protector, Shank Std			1029062 (2)		D9L, D10N/R
6Y8960	Protector, Shank			9N4245	6Y1205	D11N/R (Multi Shank)
9N4621	Protector, Shank			9N4245	6Y1205	D11N/R (Single Shank)
1250800	Protector, Sidebar			1134708	1134709	994
1U0740	Protector, Sidebar			1330738	1078559	992C/D
8E8418	Adapter, Ripper Shank					D8K/L/R, D9N/R, D10N/R
1U3630	Adapter, Ripper Shank					D10N/R
9U9694	Ripper Nose, Weld on					D9N/R (2 Hole)
<b>5) Caterpillar - Router Bits (Scraper), Cleaner Bars, Tamping Feet</b>						
3S3228	Cleaner Bar					825/ B
4S7928	Cleaner Bar					815/ B
2V6628	Foot, Tamping (Weld-on)					825B/C
2V7053	Foot, Tamping (Weld-on)					815/ B
4V3851	Foot, Tamping (Weld-on)					815F
4V0668	Foot, Rock Tamping (Weld-on)					825B/C
7X8009	Pad, Weld On					Cat Vibrating Rollers
4J8665	Router Bit - Standard		Scrapers			
7J3023	Router Bit - Heavy Duty		Scrapers			
<b>6) Caterpillar - 1/2 Arrow Segments/ Cover Plates</b>						
1099080	Segment, 1/2 Arrow					988F
1099081	Segment, 1/2 Arrow					988F
1099082	Segment, 1/2 Arrow					988F
1167460	Segment, 1/2 Arrow					988G
1167461	Segment, 1/2 Arrow					988G
1167462	Segment, 1/2 Arrow					988G



## TEETH AND ADAPTER RANGE...CONTINUED

Part Number	Description	Other Nos.	Size	Pin - Std	Ret-Std	Applications
1957180	Cover Plate (Cast)					988F/988G
1957181	Cover Plate (Cast)					988F/988G
1957182	Cover Plate (Cast)		Scrapers			988F/988G
<b>7) Komatsu – Bucket and Ripper Teeth/ Ripper Protectors/ Sidecutters</b>						
202.70.12130	Tip, Horizontal Pin			09244.02496		PC100, WA250, WA320
205.70.19570	Tip, Horizontal Pin			09244.02496		PC100 - PC220
205.70.19570RC	Tip, Rock Chisel			09244.02496		PC100 - PC220
207.70.14151	Tip, Horizontal Pin			09244.02516		PC220, PC300-5/6
208.70.14152	Tip, Horizontal Pin	208-70-14151		09244.03036		PC400, PC450
209.70.54210	Tip, Horizontal Pin			209.70.54240		PC650 - PC800
423.847.1140	Tip, Long - Horizontal Pin			09244.02516		WA380/400/420/450/470
426.847.1110	Tip, Long - Horizontal Pin			09244.03036		WA500, WA600
131.78.31190	Tip, Ripper			09244.02496		D40, D50, D57
141.78.11253	Tip, Ripper			09244.02508		D60, D65, D75
175.78.31230	Tip, Ripper			09244.02508		D85, D155
195.78.21331	Tip, Ripper			09244.02508		D275, D355
195.78.71320	Tip, Ripper			195.78.71360		D375
198.78.21340	Tip, Ripper Pen			198.78.21410		D475
195.78.21320	Protector, Shank			175.78.21740		D85/D155
195.78.71111	Protector, Shank			195.78.71360		D375
195.78.21580	Protector, Shank, With lip			195.78.71360		D375
17M.78.21330	Protector			175.78.21740		D275-2
205.70.74190	Side Cutter RH					PC200/PC220
205.70.74190	Side Cutter LH					PC200/PC220
207.70.34160	Sidecutter RH					PC300
207.70.34170	Sidecutter LH					PC300
208.70.34160	Sidecutter RH					PC400
208.70.34170	Sidecutter LH					PC400
<b>8) Miscellaneous - Daewoo, Hyundai, JCB, Hensley, H &amp; L, etc.</b>						
2713.1217	Tip, Bucket V-220	DW220V		2705.1020	2114.1848A	Daewoo S220, DX225
2713.1218	Adapter	DWA220V				Daewoo S220, DX225
2713.1219	Tip, Bucket V-290	DW290V		2705.1021	2114.1849A	Daewoo S290, DX300
2714.122	Adapter	DWA290V				Daewoo S290, DX301
2713.1234	Tip, Bucket V-330	DW330V		2705.1021	2114.1849A	Daewoo S330
2713.1235	Adapter, B/TIP	DWA330V				Daewoo S330
2713.00032	Tip, Bucket	713.00032		705.00006	114.00246	Daewoo S330, DX340
2713.6034	Sidecutter					Doosan DX340, R290
2713.6035	Sidecutter					Doosan DX340, R290
531.03205	Tip, Centre	531/03205, Bolt-on				JCB-CX3 (Early Style)
531.03208	Side Cutter	531/03208, Bolt-on				JCB-CX3 (Early Style)
531.03209	Side Cutter	531/03209, Bolt-on				JCB-CX3 (Early Style)
332/C4388	Side Cutter					JCB-CX3 (Latest Style)
332/C4389	Side Cutter					JCB-CX3 (Latest Style)
332/C4390	Side Cutter					JCB-CX3 (Latest Style)
X156L	Tip, Long	X156		P156		Hensley
X220	Tip, Standard			P160		Hensley
X410	Tip, Standard			K410S		Hensley
X500RC	Tip, Rock Chisel			P500		Hensley
240S	Tip, Standard Pen	24S		24FP		H & L
230SP	Tip, Standard	23SP		23FP		H & L
230ST	Tip, Star Penetration	23ST		23FP		H & L
E161.3027	Tip, Long	SBPMX8		E161.3035	61E5.11150	Hyundai R160, R200, R209
61N6.31310	Tip, HD Abrasion			E161.3036	61E5.11151	Hyundai R160, R200, R210
E161.3017	Adapter					Hyundai R200 - R225
E262.3046	Tip, Long	DWP235		E262.5004	61E5.11150	Hyundai R250/ R290, R320
61N8.31310	Tip, HD Abrasion	DWP235HDA		E262.5004	61E5.11150	Hyundai R250/ R290, R320
E262.3027	Adapter					Hyundai R250/ R290
61E7.0101	Tip, Long	SBHX160P		61E7.0105	61EH.1115	Hyundai R320, R360
61NA.31310	Tip, HD Abrasion			61E7.0106	61EH.1116	Hyundai R320, R360
61NB.31310	Tip, HD Abrasion			E262.5005	61E5.11151	Hyundai R450-7



## TEETH AND ADAPTER RANGE...CONTINUED

Part Number	Description	Other Nos.	Size	Pin - Std	Ret-Std	Applications
<b>9) Escro Style - Conicals / Ripper Tips</b>						
22R10	Tip, Ripper			22RP	22RB	
25RC10	Tip, Ripper	25R10		25RP	25RB	Also 25RPG, 25RBG
25R12	Tip, Ripper			25RP	25RB	Also 25RPG, 25RBG
35R14	Tip, Ripper			35RP	35RB	Also 35RPG, 35RBG
35R15	Tip, Ripper			35RP	35RB	Also 35RPG, 35RBG
35R17	Tip, Ripper			35RP	35RB	Also 35RPG, 35RBG
39R16	Tip, Ripper Intermed C/line			39RP	39RB	
18TL	Tip, Vertical Pin Std			18.20PN	18.20LK	
18LP	Tip, Long Panel			18.20PN	18.20LK	
18TVC	Tip, Twin Tiger Sym			18.20PN	18.20LK	
18.800	Adapter, Double Strap(20mm)					20 mm Bucket Lip
18.3859	Adapter, Flushmount					
25S	Tip, Vertical Pin Sharp			25.30PN	25.30LK	Also 25.30PNR, 25.30LKR
25TVC	Tip, Twin Tiger Sym			25.30PN	25.30LK	Also 25.30PNR, 25.30LKR
30S	Tip, Vertical Pin Sharp			25.30PN	25.30LK	Also 25.30PNR, 25.30LKR
30TVC	Tip, Twin Tiger Sym			25.30PN	25.30LK	Also 25.30PNR, 25.30LKR
35S	Tip, Vertical Pin Sharp			35PN	35.40LK	Also 35PNR, 35.40LKR
35TVC	Tip, Twin Tiger Sym			35PN	35.40LK	Also 35PNR, 35.40LKR
35VIP	Tip, Single Tiger			35PN	35.40LK	Also 35PNR, 35.40LKR
40S	Tip, Vertical Pin Sharp			40PN	35.40LK	Also 40PNR, 35.40LKR
40TVC	Tip, Twin Tiger Sym			40PN	35.40LK	Also 40PNR, 35.40LKR
45S	Tip, Vertical Pin Sharp			45PN	45LK	Also 45PNR, 45LKR
72959	Sidecutter	E72959				
72958R	Sidecutter RH	E72958R				20 - 60 Ton
72958L	Sidecutter LH	E72958L				20 - 60 Ton
<b>10) ITR Viper Range (Escro Style - "Super V" Replacement)</b>						
UET100D54SYL	Tooth T1	V13SYL, UETSMDTLR		UEP48E		V13
UET135D65TYL	Tooth T2	V17TYL, UETS DICE		UEP48E		V17
UET165D80SYL	Tooth T1	V19SYL, UETS D3TLR		UEP52E		V19
UET190D90SYL	Tooth T1	V23SYL, UETS D4TLR		UEP52E		V23
UEA106C25TS	Adapter A3	8842.V13, UEASDM1220				1-1/2 Top Strap
UEA082C15WO	Adapter A1	833.V13				Bottom Strap
UEA141C25TS	Adapter A3	8842.V17				1-1/2 Bottom Strap
UEA099C20WO	Adapter A1	833.V17				Bottom Strap
UEA166C25BS	Adapter A2	5854.V19				1-1/2 Bottom Strap
UEA130C25WO	Adapter A1	833.V19				Bottom Strap
UEA070C30WO	Adapter	3880.V23				1-1/2 Bottom Strap
<b>11) Keech / Wearpact Style - Teeth and Adapters</b>						
IC3SBHD	Tip, Heavy Duty	5K3SB-HD, E1929EX		IC3PS		MT02S, Bobcat size
IC3ST	Tip, Twin Tiger	5K3ST, E1930		IC3PS		MT02TT, Bobcat size
I10L2W5	Adapter, 2 Strap 5KC	10L2W5KC3, E1931EX		IC3PS		Bobcat size
I10L45	Adapter, Flushmount 5KC	10L45KC3, E1931AF		IC3PS		Bobcat size
IC3PS	Pin Set	5K3P5, E1931PS				6mm + 10mm Pin Set
03T3S	Tip, Std	MT03S		RPA03	RIA03	BackHoe Loader
03T3TH	Tip, Twin Tiger	MT03ST (Rev)		RPA03	RIA03	BackHoe Loader
04T3S	Tip, Sharp	MT04S		RPA03	RIA03	EX60
04T3TH	Tip, Twin Tiger	MT04ST		RPA03	RIA03	EX60
07T3S	Tip, Sharp	MT07S		RPA07	RIA1	EX100-EX150
07T3TH	Tip, Twin Tiger	MT07ST		RPA07	RIA1	EX100-EX150
1T3S	Tip, Std	MT09S		RPA1	RIA1	EX200
1T3RP	Tip, Rock Penetrator	MT09RP		RPA1	RIA1	EX200
20K3SRL	Tip, Short Ribbed Long	MT11S		RPA1	RIA1	EX220-EX300
20K3THD	Tip, Twin Tiger HD	MT11ST		RPA1	RIA1	EX220-EX300
20K3RP	Tip, Rock Penetrator	MT11RP		RPA1	RIA1	EX220-EX300
3T3RP	Tip, Rock Penetrator	MT14RP		RPA3	RIA3	EX400-EX450